

Product name BlueOcean Floor Polish Stripper  
 Product No. B5505

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

Identified uses Floor polish remover

**1.3. Details of the supplier of the safety data sheet**

BlueOcean  
 Kimberley Business Park  
 Blackness Lane  
 Keston  
 Kent  
 BR2 6HL  
 Tel: 0845 383 0070  
 Fax: 0845 383 0080  
 Email: enquiries@blueocean-global.com

**1.4. Emergency telephone number**

Tel: 0845 383 0070

**SECTION 2: HAZARDS IDENTIFICATION**

**2.1. Classification of the substance or mixture**

Classification (67/548/EEC) C;R34.

**2.2. Label elements**

Contains DISODIUM METASILICATE  
 Detergent Labelling: < 5% non-ionic surfactants  
 < 5% amphoteric surfactants



Corrosive (C)

Risk Phrases R34 Causes burns.  
 Safety Phrases S1/2 Keep locked up and out of the reach of children.  
 S26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
 S28 After contact with skin, wash immediately with plenty of water.  
 S36/37/39 Wear suitable protective clothing, gloves and eye/face protection.  
 S45 In case of accident or if you feel unwell  
 Seek medical advice immediately (show label where possible).

**2.3. Other hazards**

No other hazards known., This product does not contain any PBT or vPvB substances.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1. Substances**

Not Applicable

**3.2. Mixtures**

2-AMINOETHANOL		1-5%
CAS-No.: 141-43-5	EEC (EINECS) No. 205-483-3	
Classification (EC 1272/2008)		Classification (67/548/EEC)

Skin corrosion, categories 1A, 1B, 1C - H314  
 Acute toxicity, category 4 - inhalation - H332  
 Acute toxicity, category 4 - Dermal - H312  
 Acute toxicity, category 4 - Oral - H302

C;R34  
 Xn;R20/21/22

2-BUTOXYETHANOL CAS-No.: 111-76-2 Classification (EC 1272/2008) Acute toxicity, category 4 - inhalation - H332 Acute toxicity, category 4 - Dermal - H312 Acute toxicity, category 4 - Oral - H302 Eye irritation, category 2 - H319 Skin irritation, category 2 - H315	EEC (EINECS) No. 203-905-0	5-10%	Classification (67/548/EEC) Xn;R20/21/22 Xi;R36/38
DISODIUM METASILICATE CAS-No.: 6834-92-0 Classification (EC 1272/2008) Skin corrosion, categories 1A, 1B, 1C - H314 STOT***, single exposure, category 3 - Respiratory track irritation - H335	EEC (EINECS) No. 229-912-9	5-10%	Classification (67/548/EEC) C;R34 Xi;R37
SODIUM CARBONATE CAS-No.: 497-19-8 Classification (EC 1272/2008) Eye irritation, category 2 - H319	EEC (EINECS) No. 207-838-8	1-5%	Classification (67/548/EEC) Xi;R36

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**SECTION 4: FIRST AID MEASURES**

**4.1. Description of first aid measures**

General information	CAUTION! First Aid personnel must be aware of own risk of burns., Chemical burns must be dealt with immediately, do not delay.
Inhalation	Remove victim immediately from source of exposure., Provide rest, warmth and fresh air., If breathing stops, provide artificial respiration., Get medical attention if any discomfort continues.
Ingestion	DO NOT INDUCE VOMITING!, Rinse mouth thoroughly., Drink plenty of water., Get medical attention immediately!
Skin contact	Immediately remove contaminated clothing., Rinse immediately with plenty of water., Continue to rinse for at least 15 minutes., Get medical attention immediately!
Eye contact	Promptly wash eyes with plenty of water while lifting the eye lids., Continue to rinse for at least 15 minutes and get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Causes burns., Harmful if swallowed.
Skin contact	Causes burns.
Eye contact	Causes burns., Risk of serious damage to eyes.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat Symptomatically.

**SECTION 5: FIREFIGHTING MEASURES**

**5.1. Extinguishing media**

Extinguishing media	The product is non-combustible., Use fire-extinguishing media appropriate for surrounding materials., Use:, Dry chemicals, sand, dolomite etc., Foam., Water spray.
---------------------	---

**5.2. Special hazards arising from the substance or mixture**

Unsuitable extinguishing media

**5.3. Advice for firefighters**

Special Fire Fighting Procedures	Self contained breathing apparatus and full protective clothing must be worn in case of fire. Use water to keep fire exposed containers cool and disperse vapours.
----------------------------------	--

**SECTION 6: ACCIDENTAL RELEASE MEASURES**

**6.1. Personal precautions, protective equipment and emergency procedures**

For personal protection, see section 8.

**6.2. Environmental precautions**

Any spillage needs to be contained and not allowed to enter water courses, Spillages or uncontrolled discharges into watercourses must be IMMEDIATELY alerted to the Environmental Agency or other appropriate regulatory body.

**6.3. Methods and material for containment and cleaning up**

Wear necessary protective equipment., Absorb in vermiculite, dry sand or earth and place into containers., Collect spillage in containers, seal securely and deliver for disposal according to local regulations., Inform Authorities if large amounts are involved.

**6.4. Reference to other sections**

For personal protection, see section 8. For waste disposal, see section 13.

**SECTION 7: HANDLING AND STORAGE**

**7.1. Precautions for safe handling**

Avoid spilling, skin and eye contact.

**7.2. Conditions for safe storage, including any incompatibilities**

Store separated from:, Acids.

**7.3. Specific end use(s)**

See product label for detailed usage and instructions.

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

**8.1. Control parameters**

Name	STD	TWA - 8 Hrs	STEL - 15 Min	Notes
2-AMINOETHANOL	WEL	1 ppm(Sk)2.5 mg/m3(Sk)	3 ppm(Sk)7.6 mg/m3(Sk)	
2-BUTOXYETHANOL	WEL	25 ppm(Sk)	50 ppm(Sk)	
SODIUM CARBONATE		5 mg/m3 resp.dust		

WEL = Workplace Exposure Limits

**8.2. Exposure controls**

Protective equipment	 
Engineering measures	Provide adequate general and local exhaust ventilation.
Hand protection	Use protective gloves made of:, Rubber (natural, latex).
Eye protection	Wear approved, tight fitting safety glasses where splashing is probable.
Other Protection	General workwear only

**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

Appearance	Clear, Liquid
Colour	Blue.
Odour	Characteristic., of glycol ether
Relative density	1.067 - 1.077 @ 20 °C
pH-Value, Conc. Solution	>13.0

**SECTION 10: STABILITY AND REACTIVITY**

**10.1. Reactivity**

Stable under normal temperature conditions.

**10.2. Chemical stability**

Stable under normal temperature conditions.

**10.3. Possibility of hazardous reactions**

None known

**10.4. Conditions to avoid**

Avoid contact with acids., In contact with metals generates hydrogen gas, which together with air can form explosive mixtures.

**10.5. Incompatible materials**

Strong acids., Reacts strongly with light metals such as aluminium and zinc, producing hydrogen which is Highly Flammable.

**10.6. Hazardous decomposition products**

None known

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1. Information on toxicological effects**

Toxicological information	No toxicological data is available for this mixture, however data can be provided for specific raw materials upon request.
Inhalation	May cause damage to mucous membranes in nose, throat, lungs and bronchial system.
Ingestion	Causes burns., Harmful if swallowed.
Skin contact	Causes burns.
Eye contact	Causes burns., Risk of serious damage to eyes.

**SECTION 12: ECOLOGICAL INFORMATION****12.1. Toxicity**

Not classed as Hazardous to the Environment but release to the environment should be avoided.

**12.2. Persistence and degradability**

Degradability	The surfactants contained within the product comply with the biodegradability criteria as laid down in Regulation (EC) No 648/2004.
---------------	---

**12.3. Bioaccumulative potential**

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
---------------------------	---

**12.4. Mobility in soil**

Mobility:	The product contains substances, which are water soluble and may spread in water systems.
-----------	---

**12.5. Results of PBT and vPvB assessment**

This product does not contain any PBT or PvB substances

**12.6. Other adverse effects**

None known

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1. Waste treatment methods**

Dispose of waste and residues in accordance with local authority requirements.

## SECTION 14: TRANSPORT INFORMATION

### 14.1. UN number

UN No. (ADR/RID/ADN)	1760
UN No. (IMDG)	1760
UN No. (ICAO)	1760

### 14.2. UN proper shipping name

Proper Shipping Name: CORROSIVE LIQUID,NOS (Disodium trioxosilicate, Ethanolamine)

### 14.3. Transport hazard class(es)

ADR/RID/ADN Class	8
ADR/RID/ADN Class	Class 8: Corrosive substances.
IMDG Class	8
ICAO Class/Division	8

Transport Labels



### 14.4. Packing group

ADR/RID/ADN Packing group	III
IMDG Packing group	III
ICAO Packing group	III

### 14.5. Environmental hazards

Environmentally Hazardous substance/Marine Pollutant No

### 14.6. Special precautions for user

Tunnel Restriction Code E

### 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not relevant

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

UK Regulatory References	The Control of Substances Hazardous to Health Regulations 2002 (S.I 2002 No. 2677) with amendments.
Environmental Listing	Rivers (Prevention of Pollution) Act 1961., Control of Pollution (Special Waste Regulations) Act 1980.
Statutory Instruments	The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (S.I 2009 No. 716)., Control of Substances Hazardous to Health.
Approved Code Of Practice	Classification and Labelling of Substances and Preparations Dangerous for Supply.
Guidance Notes	Workplace Exposure Limits EH40., CHIP for everyone HSG(108). System of specific information relating to Dangerous Preparations. 2001/58/EC., Dangerous Preparations Directive 1999/45/EC., Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, including amendments., Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 with amendments.
EU Legislation	
National Regulations	The Carriage of Dangerous Goods and Use of Transportable Pressure Equipment Regulations 2007 (CDG 2007).

**15.2. Chemical Safety Assessment**

No chemical assessment has been carried out as this Safety Data Sheet is for a mixture

**SECTION 16: OTHER INFORMATION**

## General information

The following risk phrases relate to the raw materials in the product and not the product itself:-

## Revision Comments

Safety Data Sheet revised to be in accordance with EU Regulation No 453/2010 - REACH Regulations.

Revision Date 01/02/2013

Revision 9

Risk Phrases In Full R36 Irritating to eyes. | R20/21/22 Harmful by inhalation, in contact with skin and if swallowed., R36/38 Irritating to eyes and skin. | R20/21/22 Harmful by inhalation, in contact with skin and if swallowed., R34 Causes burns., R37 Irritating to respiratory system. | R34 Causes burns., R37 Irritating to respiratory system. |

Hazard Statements In Full

H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.